ELSEVIER

Neuroscience Letters 264 (1999) 172–174

Neuroscience Letters

Author Index to Volume 264

Adams, D.J., see Smith, A.B., 105
Addicks, K., see Hess, A., 145
Alho, K., see Sussman, E., 161
Altrup, U., see Tarner, I.H., 73
Andreas, K., see Bräter, M., 97
Arai, R., see Hasegawa, Y., 61
Atlas, R., see Zamostiano, R., 9

Bassan, M., see Zamostiano, R., 9
Bert, L., see Desvignes, C., 5
Bertelli, A.A.E., see Miloso, M., 141
Bischof, A., see Stark, H., 77
Bloch, W., see Hess, A., 145
Bobkov, Y.V., Kolesnikov, S.S., Extracellular protons activate K^+ current in a subpopulation of frog taste receptor cells, 25
Bortolotto, S., see Schiffer, D., 29
Bosone, I., see Schiffer, D., 29
Bourcier, F., see Pinganaud, G., 133
Bräter, M., Li, S-N., Gorodezkaya, I.J., Andreas, K., Ravens, U., Voltage-sensitive Ca^{2+} channels, intracellular Ca^{2+} stores and Ca^{2+}-release-activated Ca^{2+} channels contribute to the ATP-induced $[Ca^{2+}]_i$ increase in differentiated neuroblastoma × glioma NG 108-15 cells, 97
Brenneman, D.E., see Zamostiano, R., 9
Brown, P., see Grigoriev, V., 57
Buisseret, P., see Pinganaud, G., 133
Buisseret-Delmas, C., see Pinganaud, G., 133
Burke, D., see Wilson, L.R., 109

Cancelli, I., see Schiffer, D., 29
Carpentier, V., Vaudry, H., Laquerriere, A., Leroux, P., Somatostatin binding sites in the white matter of the developing human brainstem: inverse relationship with the myelination process, 49
Cavalla, P., see Schiffer, D., 29

Denoroy, L., see Desvignes, C., 5
Desvignes, C., Bert, L., Vinet, L., Denoroy, L., Renaud, B. ,Lambás-Señas, L., Evidence that the neuronal nitric oxide synthase inhibitor 7-nitroindazole inhibits monoamine oxidase in the rat: in vivo effects on extracellular striatal dopamine and 3,4-dihydroxyphenylacetic acid, 5

Escaig-Haye, F., see Grigoriev, V., 57

Fäth, A., see Haas, J., 129
Foulstone, E.J., Tavaré, J.M., Gunn-Moore, F.J., Sustained phosphorylation and activation of protein kinase B correlates with brain-derived neurotrophic factor and insulin stimulated survival of cerebellar granule cells, 125
Fournier, J.-G., see Grigoriev, V., 57
Fujiki, N., see Morita, H., 65

Funahashi, H., Yada, T., Muroya, S., Takigawa, M., Ryushi, T., Horie, S., Nakai, Y., Shioda, S., The effect of leptin on feeding-regulating neurons in the rat hypothalamus, 117

Gandevia, S.C., see Wilson, L.R., 109
Gorodezkaya, I.J., see Bräter, M., 97
Goto, K., see Moriguchi, T., 101
Gozes, I., see Zamostiano, R., 9
Gracies, J.-M., see Wilson, L.R., 109
Grigoriev, V., Escaig-Haye, F., Streichenberger, N., Kopp, N., Langeveld, J., Brown, P., Fournier, J.-G., Submicroscopic immunodetection of PrP in the brain of a patient with a new-variant of Creutzfeldt–Jakob disease, 57
Grinius, B., see Hondo, H., 69
Gunn-Moore, F.J., see Foulstone, E.J., 125

Haas, J., Meyding-Lamadé, U., Fäth, A., Stingele, K., Storch-Hagenlocher, B., Wildemann, B., Acyclovir treatment of experimentally induced herpes simplex virus encephalitis: monitoring the changes in immunologic NO synthase expression and viral load within brain tissue of SJL mice, 129
Hagiike, M., see Morita, H., 65
Hasegawa, Y., Hida, T., Arai, R., Noradrenaline-degrading activity of monoamine oxidase is localized in noradrenergic neurons of the locus coeruleus of the rat, 61
Hess, A., Bloch, W., Su, J., Stennert, E., Addicks, K., Michel, O., Expression of inducible nitric oxide-synthase in the vestibular system of hydropic guinea pigs, 145
Hida, T., see Hasegawa, Y., 61
Hisatsune, T., see Yamada, K., 165
Hondo, H., Spitzer, R.H., Grinius, B., Richtand, N.M., Quantification of dopamine D3 receptor mRNA level associated with the development of amphetamine-induced behavioral sensitization in the rat brain, 69
Horie, S., see Funahashi, H., 117
Hulting, A.-L., see Petersson, M., 41

Ichikawa, T., Imafuku, Y., Tawada, K., Synchronous firing patterns of a set of insect neurosecretory cells, 85
Imafuku, Y., see Ichikawa, T., 85
Ingram, H.A., see Liu, X., 121
Inoue, K., see Nakazawa, K., 93
Iwamoto, Y., see Sasaki, S., 137

Jahn, H., see Malz, C.R., 33
Junaid, M.A., Pullarkat, R.K., Increased brain lysosomal pepstatin-insensitive proteinase activity in patients with neurodegenerative diseases, 157

Kaminogawa, S., see Yamada, K., 165

PII: S0304-3940(99)00242-6

ELSEVIER

Neuroscience Letters 264 (1999) 172–174

Neuroscience Letters

Author Index to Volume 264

Adams, D.J., see Smith, A.B., 105
Addicks, K., see Hess, A., 145
Alho, K., see Sussman, E., 161
Altrup, U., see Tarner, I.H., 73
Andreas, K., see Bräter, M., 97
Arai, R., see Hasegawa, Y., 61
Atlas, R., see Zamostiano, R., 9

Bassan, M., see Zamostiano, R., 9
Bert, L., see Desvignes, C., 5
Bertelli, A.A.E., see Miloso, M., 141
Bischof, A., see Stark, H., 77
Bloch, W., see Hess, A., 145
Bobkov, Y.V., Kolesnikov, S.S., Extracellular protons activate K^+ current in a subpopulation of frog taste receptor cells, 25
Bortolotto, S., see Schiffer, D., 29
Bosone, I., see Schiffer, D., 29
Bourcier, F., see Pinganaud, G., 133
Bräter, M., Li, S-N., Gorodezkaya, I.J., Andreas, K., Ravens, U., Voltage-sensitive Ca^{2+} channels, intracellular Ca^{2+} stores and Ca^{2+}-release-activated Ca^{2+} channels contribute to the ATP-induced $[Ca^{2+}]_i$ increase in differentiated neuroblastoma × glioma NG 108-15 cells, 97
Brenneman, D.E., see Zamostiano, R., 9
Brown, P., see Grigoriev, V., 57
Buisseret, P., see Pinganaud, G., 133
Buisseret-Delmas, C., see Pinganaud, G., 133
Burke, D., see Wilson, L.R., 109

Cancelli, I., see Schiffer, D., 29
Carpentier, V., Vaudry, H., Laquerriere, A., Leroux, P., Somatostatin binding sites in the white matter of the developing human brainstem: inverse relationship with the myelination process, 49
Cavalla, P., see Schiffer, D., 29

Denoroy, L., see Desvignes, C., 5
Desvignes, C., Bert, L., Vinet, L., Denoroy, L., Renaud, B. ,Lambás-Señas, L., Evidence that the neuronal nitric oxide synthase inhibitor 7-nitroindazole inhibits monoamine oxidase in the rat: in vivo effects on extracellular striatal dopamine and 3,4-dihydroxyphenylacetic acid, 5

Escaig-Haye, F., see Grigoriev, V., 57

Fäth, A., see Haas, J., 129
Foulstone, E.J., Tavaré, J.M., Gunn-Moore, F.J., Sustained phosphorylation and activation of protein kinase B correlates with brain-derived neurotrophic factor and insulin stimulated survival of cerebellar granule cells, 125
Fournier, J.-G., see Grigoriev, V., 57
Fujiki, N., see Morita, H., 65

Funahashi, H., Yada, T., Muroya, S., Takigawa, M., Ryushi, T., Horie, S., Nakai, Y., Shioda, S., The effect of leptin on feeding-regulating neurons in the rat hypothalamus, 117

Gandevia, S.C., see Wilson, L.R., 109
Gorodezkaya, I.J., see Bräter, M., 97
Goto, K., see Moriguchi, T., 101
Gozes, I., see Zamostiano, R., 9
Gracies, J.-M., see Wilson, L.R., 109
Grigoriev, V., Escaig-Haye, F., Streichenberger, N., Kopp, N., Langeveld, J., Brown, P., Fournier, J.-G., Submicroscopic immunodetection of PrP in the brain of a patient with a new-variant of Creutzfeldt–Jakob disease, 57
Grinius, B., see Hondo, H., 69
Gunn-Moore, F.J., see Foulstone, E.J., 125

Haas, J., Meyding-Lamadé, U., Fäth, A., Stingele, K., Storch-Hagenlocher, B., Wildemann, B., Acyclovir treatment of experimentally induced herpes simplex virus encephalitis: monitoring the changes in immunologic NO synthase expression and viral load within brain tissue of SJL mice, 129
Hagiike, M., see Morita, H., 65
Hasegawa, Y., Hida, T., Arai, R., Noradrenaline-degrading activity of monoamine oxidase is localized in noradrenergic neurons of the locus coeruleus of the rat, 61
Hess, A., Bloch, W., Su, J., Stennert, E., Addicks, K., Michel, O., Expression of inducible nitric oxide-synthase in the vestibular system of hydropic guinea pigs, 145
Hida, T., see Hasegawa, Y., 61
Hisatsune, T., see Yamada, K., 165
Hondo, H., Spitzer, R.H., Grinius, B., Richtand, N.M., Quantification of dopamine D3 receptor mRNA level associated with the development of amphetamine-induced behavioral sensitization in the rat brain, 69
Horie, S., see Funahashi, H., 117
Hulting, A.-L., see Petersson, M., 41

Ichikawa, T., Imafuku, Y., Tawada, K., Synchronous firing patterns of a set of insect neurosecretory cells, 85
Imafuku, Y., see Ichikawa, T., 85
Ingram, H.A., see Liu, X., 121
Inoue, K., see Nakazawa, K., 93
Iwamoto, Y., see Sasaki, S., 137

Jahn, H., see Malz, C.R., 33
Junaid, M.A., Pullarkat, R.K., Increased brain lysosomal pepstatin-insensitive proteinase activity in patients with neurodegenerative diseases, 157

Kaminogawa, S., see Yamada, K., 165

PII: S0304-3940(99)00242-6

Kaneko, T., see Li, J.-L., 13
Kaplan, G.B., see Weisberg, S.P., 89
Klockgether, T., see Seyfried, J., 1
Kobayashi, K., Okada, Y., Excitatory effects of adenosine are not mediated by inhibition of GABAergic system in slices of superior colliculus and hippocampus from guinea pig, 37
Kolesnikov, S.S., see Bobkov, Y.V., 25
Kopp, N., see Grigoriev, V., 57
Kovar, K.A., see Seyfried, J., 1
Krueger, J.M., see Takahashi, S., 149
Kudo, Y., see Yamada, K., 165

Lambás-Señas, L., see Desvignes, C., 5
Langeveld, J., see Grigoriev, V., 57
Laquerriere, A., see Carpentier, V., 49
Lee, K., see Morita, H., 65
Leroux, P., see Carpentier, V., 49
Li, J.-L., Li, Y.-Q., Kaneko, T., Mizuno, N., Preprodynorphin-like immunoreactivity in medullary dorsal horn neurons projecting to the thalamic regions in the rat, 13
Li, S.-N., see Bräter, M., 97
Li, Y.-Q., see Li, J.-L., 13
Liu, X., Ingram, H.A., Palace, J.A., Miall, R.C., Dissociation of 'on-line' and 'off-line' visuomotor control of the arm by focal lesions in the cerebellum and brainstem, 121

Maiese, K., Vincent, A.M., Group I metabotropic receptors down-regulate nitric oxide induced caspase-3 activity in rat hippocampal neurons, 17
Malz, C.R., Jahn, H., Meyer, D.L., Centrifugal Phe-Met-Arg-Phe-NH_2-like immunoreactive innervation of the retina in a non-teleost bony fish, *Lepisosteus osseus*, 33
Mautes, A.E.M., Paschen, W., Röhn, G., Nacimiento, A.C., Changes in ornithine decarboxylase activity and putrescine concentrations after spinal cord compression injury in the rat, 153
Meyding-Lamadé, U., see Haas, J., 129
Meyer, D.L., see Malz, C.R., 33
Miall, R.C., see Liu, X., 121
Michel, O., see Hess, A., 145
Miloso, M., Bertelli, A.A.E., Nicolini, G., Tredici, G., Resveratrol-induced activation of the mitogen-activated protein kinases, ERK1 and ERK2, in human neuroblastoma SH-SY5Y cells, 141
Mizuno, N., see Li, J.-L., 13
Moriguchi, T., Sakura, T., Nambu, T., Yanagisawa, M., Goto, K., Neurons containing orexin in the lateral hypothalamic area of the adult rat brain are activated by insulin-induced acute hypoglycemia, 101
Morita, H., Fujiki, N., Hagiike, M., Yamaguchi, O., Lee, K., Functional evidence for involvement of bumetanide-sensitive $Na^+K^+2Cl^-$ cotransport in the hepatoportal Na^+ receptor of the Sprague–Dawley rat, 65
Muroya, S., see Funahashi, H., 117
Muroya, S., Yada, T., Shioda, S., Takigawa, M., Glucose-sensitive neurons in the rat arcuate nucleus contain neuropeptide Y, 113

Näätänen, R., see Sussman, E., 161
Nacimiento, A.C., see Mautes, A.E.M., 153
Nakai, Y., see Funahashi, H., 117
Nakamura, T., see Yamada, K., 165
Nakazawa, K., Inoue, K., Ohno, Y., Block and unblock by imipramine of cloned and mutated $P2X_2$ receptor/channel expressed in *Xenopus* oocytes, 93
Nambu, T., see Moriguchi, T., 101
Neville, H.J., see Röder, B., 53
Nicolini, G., see Miloso, M., 141

Ohno, Y., see Nakazawa, K., 93
Okada, Y., see Kobayashi, K., 37

Palace, J.A., see Liu, X., 121
Pandey, S.C., Xu, T., Zhang, D., Regulation of AP-1 gene transcription factor binding activity in the rat brain during nicotine dependence, 21
Paschen, W., see Mautes, A.E.M., 153
Perl, O., see Zamostiano, R., 9
Petersson, M., Hulting, A.-L., Uvnäs-Moberg, K., Oxytocin causes a sustained decrease in plasma levels of corticosterone in rats, 41
Pinganaud, G., Bourcier, F., Buisseret-Delmas, C., Buisseret, P., Primary trigeminal afferents to the vestibular nuclei in the rat: existence of a collateral projection to the vestibulo-cerebellum, 133
Pinhasov, A., see Zamostiano, R., 9
Piva, R., see Schiffer, D., 29
Pullarkat, R.K., see Junaid, M.A., 157

Ravens, U., see Bräter, M., 97
Rehberg, B., Wittmann, M., Urban, B.W., Sodium channels (from rat, mouse and man) in neuroblastoma cells and different expression systems have similar sensitivities to pentobarbital, 81
Renaud, B., see Desvignes, C., 5
Richtand, N.M., see Hondo, H., 69
Ritter, W., see Sussman, E., 161
Röder, B., Rösler, F., Neville, H.J., Effects of interstimulus interval on auditory event-related potentials in congenitally blind and normally sighted humans, 53
Röhn, G., see Mautes, A.E.M., 153
Rösler, F., see Röder, B., 53
Ryushi, T., see Funahashi, H., 117

Sakura, T., see Moriguchi, T., 101
Sasaki, S., Iwamoto, Y., Axonal trajectories of the nucleus reticularis gigantocellularis neurons in the C2-C3 segments in cats, 137
Scheich, H., see Stark, H., 77
Schiffer, D., Bortolotto, S., Bosone, I., Cancelli, I., Cavalla, P., Schiffer, P., Piva, R., Cell-cycle inhibitor p27/Kip-1 expression in non-astrocytic and non-oligodendrocytic human nervous system tumors, 29
Schiffer, P., see Schiffer, D., 29
Schulz, J.B., see Seyfried, J., 1
Seyfried, J., Soldner, F., Schulz, J.B., Klockgether, T., Kovar, K.A., Wüllner, U., Differential effects of L-buthionine sulfoximine and ethacrynic acid on glutathione levels and mitochondrial function in PC12 cells, 1
Shioda, S., see Funahashi, H., 117
Shioda, S., see Muroya, S., 113
Smith, A.B., Adams, D.J., Met-enkephalin-induced mobilization of intracellular Ca^{2+} in rat intracardiac ganglion neurones, 105
Soldner, F., see Seyfried, J., 1
Speckmann, E.-J., see Tarner, I.H., 73
Spitzer, R.H., see Hondo, H., 69
Stark, H., Bischof, A., Scheich, H., Increase of extracellular dopamine in prefrontal cortex of gerbils during acquisition of the avoidance strategy in the shuttle-box, 77
Steingart, R.A., see Zamostiano, R., 9

Stennert, E., see Hess, A., 145
Stingele, K., see Haas, J., 129
Storch-Hagenlocher, B., see Haas, J., 129
Strasburger, H., see von Steinbüchel, N., 168
Streichenberger, N., see Grigoriev, V., 57
Su, J., see Hess, A., 145
Sussman, E., Winkler, I., Ritter, W., Alho, K., Näätänen, R., Temporal integration of auditory stimulus deviance as reflected by the mismatch negativity, 161
Szelag, E., see von Steinbüchel, N., 168

Takahashi, S., Krueger, J.M., Nerve growth factor enhances sleep in rabbits, 149
Takigawa, M., see Funahashi, H., 117
Takigawa, M., see Muroya, S., 113
Tarner, I.H., Altrup, U., Speckmann, E.-J., Heptanol exerts epileptiform effects in identified neurons of the buccal ganglia of *Helix pomatia*, 73
Tavaré, J.M., see Foulstone, E.J., 125
Tawada, K., see Ichikawa, T., 85
Tredici, G., see Miloso, M., 141
Tsai, C.-L., Wang, L.-H., Effects of gonadal steroids on the serotonin synthesis and metabolism in the early developing tilapia brain, 45

Uchino, S., see Yamada, K., 165
Urban, B.W., see Wittmann, M., 81
Uvnäs-Moberg, K., see Petersson, M., 41

Vaudry, H., see Carpentier, V., 49
Vincent, A.M., see Maiese, K., 17
Vinet, L., see Desvignes, C., 5
von Steinbüchel, N., Wittmann, M., Strasburger, H., Szelag, E., Auditory temporal-order judgement is impaired in patients with cortical lesions in posterior regions of the left hemisphere, 168

Wang, L.-H., see Tsai, C.-L., 45
Weisberg, S.P., Kaplan, G.B., Adenosine receptor antagonists inhibit the development of morphine sensitization in the C57BL/6 mouse, 89
Wildemann, B., see Haas, J., 129
Wilson, L.R., Gracies, J.-M., Burke, D., Gandevia, S.C., Evidence for fusimotor drive in stroke patients based on muscle spindle thixotropy, 109
Winkler, I., see Sussman, E., 161
Wittmann, M., see von Steinbüchel, N., 168
Wüllner, U., see Seyfried, J., 1

Xu, T., see Pandey, S.C., 21

Yada, T., see Funahashi, H., 117
Yada, T., see Muroya, S., 113
Yamada, K., Hisatsune, T., Uchino, S., Nakamura, T., Kudo, Y., Kaminogawa, S., NMDA receptor mediated Ca^{2+} responses in neurons differentiated from $p53^{-/-}$ immortalized Murine neural stem cells, 165
Yamaguchi, O., see Morita, H., 65
Yanagisawa, M., see Moriguchi, T., 101

Zamostiano, R., Pinhasov, A., Bassan, M., Perl, O., Steingart, R.A., Atlas, R., Brenneman, D.E., Gozes, I., A femtomolar-acting neuroprotective peptide induces increased levels of heat shock protein 60 in rat cortical neurons: a potential neuroprotective mechanism, 9
Zhang, D., see Pandey, S.C., 21